



C41Water Cooled Resonant Capacitor

C41—BC5



参数表.Article Table

Part Number	Rated Voltage Vrms	Nominal Capaciance μF at 1Khz	Max Irms A	Max Power kVar	Freq Range @Full Power (kHz)	ESR mΩ	Dimension (mm)			Case Code
							L	H	T	
C41102104KBC5301...	1000	0.10	350	300	476-649	1.2	60	60	30.2	BC5
C41102204KBC5301...	1000	0.20	400	300	238-423	1.2	60	60	30.2	BC5
C41701254KBC5301...	700	0.25	500	300	390-530	1.2	60	60	30.2	BC5
C41701334KBC5301...	700	0.33	500	300	295-401	1.0	60	60	30.2	BC5
C41701664KBC5301...	700	0.66	500	300	147-200	0.8	60	60	30.2	BC5
C41601105KBC5301...	600	1.00	650	300	132-223	0.5	60	60	30.2	BC5
C41601125KBC5301...	600	1.20	650	300	111-187	0.5	60	60	30.2	BC5
C41601135KBC5301...	600	1.32	650	300	100-170	0.3	60	60	30.2	BC5
C41501245KBC5301...	500	2.40	650	300	80-97	0.2	60	60	30.2	BC5
C41501265KBC5301...	500	2.60	650	300	72-85	0.2	60	60	30.2	BC5
C41401505KBC5301...	400	5.00	800	300	59-67	0.1	60	60	30.2	BC5
C41102334KBC5401...	1000	0.33	600	400	194-433	1.0	60	60	30.2	BC5
C41102664KBC5401...	1000	0.66	600	400	95-216	0.8	60	60	30.2	BC5
C41901125KBC5401...	900	1.20	850	400	58-215	0.3	60	60	30.2	BC5
C41801135KBC5401...	900	1.32	850	400	58-215	0.3	60	60	30.2	BC5
C41701265KBC5401...	700	2.60	950	400	51-138	0.2	60	60	30.2	BC5
C41501505KBC5401...	500	5.00	1000	400	50-80	0.1	60	60	30.2	BC5

以上表格/图形仅供参考，以实物为准，(单位:mm)
The above table / graphics are for reference only, subject to the actual product (unit: mm)

C41







Water Cooled Resonant Capacitor

频率特性.Temperature Characteristics

电压
Voltage

功率
Current

电流
Power



C41







Water Cooled Resonant Capacitor

频率特性.Temperature Characteristics

电压
Voltage

功率
Power

电流
Current



C41

Water Cooled Resonant Capacitor

频率特性.Temperature Characteristics

电压
Voltage

功率
Current

电流
Power

